






Convenient functions help you organize your working environment easily.



Please visit the website for details in English. https://www.casio-intl.com/asia/en/kl/



The above link goes to Asia & Oceania English page, for other areas and languages choose from the below link. https://world.casio.com/country/



LABEL IT! EZ-LABEL PRINTER







• ITF • CODE39 • CODABAR (NW-7) * Printing via PC connection only

_____ Slit * Continuous printing of up to 100 labels is possible.



* 12 mm or wider tape (top and bottom margins occur with 18 and 24 mm tape)

LABEL IT! EZ-LABEL PRINTER


LABEL DESIGN MAKER

Label Printing Software for KL-P350W and KL-G2



Create original labels or print pre-designed labels simply by choosing from a wide variety of pre-loaded label samples.


Label samples	Name Serial No. Date Section	Computer A001-10051 20-Apr-20XX Accounting Div.			
KEE	P CLE	AN			
Choosing label	s by sc	ene		f	or PC
Label samples are sea	rchable				



Connection methods of compatible label

	PC		Smartphone		
	Windows [®]	Mac®	A	Android	iOS
KL-P350W	USB WirelessLAN		WirelessLAN		
KL-G2	USB — —				-
PC system re	quirements				
Operating system	see the following	which operating sys			
Personal computer	PC/AT-compatible satisfies the follow • Pre-installed wi above operating • CPU recommen operating syste • USB port installe compatible with LAN IEEE 802.11	ing conditions: th one of the g systems ded for the m in use ed as standard or wireless		above operat USB port inst	alled as standard e with wireless
Memory	At least 2 GB		Memory recommended for the operating system in use		
Hard disk	At least 1 GB of fr	ee space			
Pointing device	Mouse or equival	ent device compatik	ole wit	h the above o	operating systems
Smartphone :	system requi	rements			
Operating system	see the following	which operating sys support page: o.com/os_mobile/	stems	are supporte	d, 211
An Internet connectio such as searching for LABEL DESIGN MAKE for smartphones or ta	samples. R is not compatible wit blets.			GE	ble free of charge

App Store



Freestyle creation

You can freely create original labels.

Choosing labels by category

Samples are searchable by category.

• Equipment • Device Calibration

Attention • Sign • 5S campaign

• Name tag • Power saving • Price tag

DO NOT ENTER

() FLAMMABLE

• Trash separation • Documents

EXPENSES 📓

Ø

 \oslash

Compact and powerful







Portable label printer

•Easy-to-read, 12-digit, 1-line LCD

•Designed logo printing

•534 built-in characters

•AC adaptor (sold separately)

Barcode printing

•Accepts 18, 12, 9 and 6mm tape widths •12mm print head / 200 dpi resolution

KL-130



Compact model that prints high-resolution labels



Wide Print® 16-di9it×2-Line®

16 diaits

KL-120

A

2 lines

•Accepts 18, 12, 9 and 6mm tape widths Print preview •5 languages

Please visit the website for details.	
Please visit the website for details. ► Check the website for details about LABEL DESIGN MAKER. <i>labeldesignmaker.casio.jp</i>	活出
labeldesignmaker.casio.jp	口论器

for PC / for Smartpho

for PC / for Smartphone

SALES REPORTS

1st atr 201X

1st half 201X M IMPORTANT

A

A


URGENT CONFIDENTIAL PROGRESS REPORT

PENDING

D N 🗧



operating systems. ´ • Certain equipment configurations may not support proper operation



* Actual size

Multifunctional model with excellent memory

• ITF • CODE39 • CODABAR (NW-7)



Prints up to 3 lines (24 or 18mm tape)

No. BCG-11342 Personnel Dept. CASIO

Affordable model



KL-60

- •Accepts 12, 9 and 6mm tape widths
- Prints up to 2 lines (12 or 9mm tape)
- •Battery life: 4 tape cartridges

LABEL IT! EZ-LABEL PRINTER

L A B E L I N G

A varied selection of label tapes for use almost anywhere.





Tamper-Evident Tape

A 24 18

This tape leaves the word "VOID" on the application surface when removed, making it possible to detect whether labels have been removed. It is effective for applications such as anti-tampering security and protection of confidential information.

* If applied to hard-to-stick surfaces, VOID pattern might not be left sufficiently when the label is peeled off.



Cable Flexible Tape	A	18	12


This tape conforms to curved surfaces such as cables and bottles. * Suitable for use with USB cables and other cables with connectors





Tape for Oily Surfaces

This tape uses an adhesive that can absorb oil from the surface. Labels can be attached to surfaces contaminated with salad oil, lubricating oil, engine oil, anti-rust oil, or other types of oil or grease. * If a surface is heavily covered with oil, the tape may not reach full adhesive power.



Heat Shrink Tube


A 18 9*3

A 24 18 12

 *2 $\Phi(diameter)5.0mm \sim \Phi 11.0mm$ $\,^{*3}$ $\Phi 2.5mm \sim \Phi 5.0mm$ These fabric tubes shrink when heat is applied. Pass a cable through a tube and apply hot air using an industrial hot-air gun to shrink the tube to fit the cable.

* Suitable for use with conductor wire without connectors and other cables of smaller diameter than the tubes * Tubes shrink when hot air of from 90°C to 270°C is applied.





Paper Tape

This is affordable paper tape. The tape surface is coated to increase print permanence. * Use indoors away from direct sunlight.



Tape Lineup

* Actual size

A 18 12

	Width	24mm	18mm	12mm	9mm	6mm
High-Strength Adhesive Tape [8m]	BLACK on WHITE	XR-24GCWE	XR-18GCWE	XR-12GCWE	XR-9GCWE	XR-6GCWE
- No Residue	BLACK on YELLOW	XR-24GCYW	XR-18GCYW	XR-12GCYW	XR-9GCYW	XR-6GCYW
- Cover up	BLACK on SILVER	XR-24GCSR	XR-18GCSR	XR-12GCSR	XR-9GCSR	-
	BLACK on WHITE	XR-24WE1	XR-18WE1	XR-12WE1	XR-9WE1	XR-6WE1
	BLACK on CLEAR	XR-24X1	XR-18X1	XR-12X1	XR-9X1	XR-6X1
	BLACK on RED	XR-24RD1	XR-18RD1	XR-12RD1	XR-9RD1	XR-6RD1
	BLACK on YELLOW	XR-24YW1	XR-18YW1	XR-12YW1	XR-9YW1	XR-6YW1
Color Tape [8m]	BLACK on BLUE	XR-24BU1	XR-18BU1	XR-12BU1	XR-9BU1	-
	BLACK on GREEN	XR-24GN1	XR-18GN1	XR-12GN1	XR-9GN1	XR-6GN1
	BLACK on GOLD	-	XR-18GD1	XR-12GD1	XR-9GD1	-
	BLACK on SILVER	-	XR-18SR1	XR-12SR1	XR-9SR1	-
	RED on WHITE	-	XR-18WER1	XR-12WER1	XR-9WER1	-
	BLUE on WHITE	-	XR-18WEB1	XR-12WEB1	XR-9WEB1	-
Tamper-Evident Tape [5.5m]	BLACK on SILVER	XR-24SCSR	XR-18SCSR	-	-	-
Tape for Oily Surfaces [5.5m]	BLACK on WHITE	XR-24TRWE	XR-18TRWE	XR-12TRWE	XR-9TRWE	-
Cable Flexible Tape [5.5m]	BLACK on WHITE	-	XR-18HMWE	XR-12HMWE	XR-9HMWE	-
Heat Shrink Tube [2.5m]	BLACK on WHITE	-	XR-18HSWE (Φ5.0mm~Φ11.0mm)	-	XR-9HSWE (Φ2.5mm~Φ5.0mm)	-
	BLACK on WHITE	XR-24JWE	-	-	-	-
Magnetic Tape*5 [1.5m]	BLACK on YELLOW	XR-24JYW	-	-	-	-
	BLACK on FLUORESCENT PINK	-	XR-18FPK	XR-12FPK	XR-9FPK	-
	BLACK on FLUORESCENT ORANGE	-	XR-18FOE	XR-12FOE	XR-9FOE	_
Fluorescent Tape [5.5m]	BLACK on FLUORESCENT YELLOW	-	XR-18FYW	XR-12FYW	XR-9FYW	-
	BLACK on FLUORESCENT GREEN	-	XR-18FGN	XR-12FGN	XR-9FGN	-
Paper Tape [8m]	BLACK on WHITE	-	XR-18TWE	XR-12TWE	XR-9TWE	-
Iron-On Fabric Tape [3.5m]	BLACK on WHITE	-	_	XR-12VWE	_	_

(

Fluorescent Tape

These fluorescent colored tapes are great for producing labels with high visual impact.



A A 18 12 9






Iron-On Fabric Tape

A 12

This tape can be attached directly to fabrics using a clothes iron.









LABEL IT!

Specifications

Model	KL-P350W	LABEL DESIGN MAKER		KL-G2	KL-820	KL-HD1	VI.120	KL-120	KL-60
model	KL-P350W			KL-UZ	KL-ÖZU	KL-HUI	KL-130	KL-120	KL-OU
		PC	smartphone						
eyboard layout	_	Depends on PC input method	Depends on smartphone input method	QWERTY	QWERTY	ABCD keyboard	QWERTY	QWERTY	QWERTY
LCD	_	_	_	128 x 64 dots with backlight	95 x 32 dots	96 x 32 dots	96 x 16 dots	96 x 16 dots	20 x 7 dots + curso
splay LED	Power/wireless LAN/status	_	_	_	-	-	-	_	—
Display (input data)	_	_	_	16 digits x 3 lines	16 digits x 3 lines	12 digits x 1 line	12 digits x 1 line	16 digits x 2 lines	4 digits x 1 line
vilable tape width	24/18/12/9/6	_	_	24/18/12/9/6	24/18/12/9/6	18/12/9/6	18/12/9/6	18/12/9/6	12/9/6
nm) rinting resolution	200 dpi / 144 dots	_	_	200 dpi / 128 dots	200 dpi / 96 dots	200 dpi / 96 dots	200 dpi / 96 dots	200 dpi / 96 dots	160 dpi / 32 dots
aximum printing	20	_	_	20	6	10	6	6	11.6
eed (mm/sec) nit of length	_	mm	mm	cm / inches	cm / inches	cm / inches	cm / inches	cm / inches	_
witching laximum printing eight (mm)	18	_	_	16	12	12	12	12	5
laximum printing	_	_	9	8	3	3	3	2	2
nes Iaximum printing	60	_	_	800	_	_	_	_	_
ength (cm) onts		All fonts installed on PC +	All fonts installed on smartphone	Sans-serif / Sans-serif Rounded / Roman / Courier /	Sans-serif / Sans-serif italic / Sans-serif Rounded /	Sans-serif / Sans-serif Rounded / Roman / Courier /	Sans-serif / Sans-serif Rounded / Roman / Courier / Pop /	Sans-serif	Sans-serif
haracter styles	See the corresponding → software type	LABEL DESIGN MAKER fonts Normal / Bold / Italic / Underline /	LABEL DESIGN MAKER fonts	Pop / Slab Serif / Bordeaux Heavy / Cursive Normal / Bold / Outline /	Roman / Roman italic Normal / Bold / Outline /	Pop / Slab Serif / Bordeaux Heavy / Cursive Normal / Bold /	Slab Serif / Bordeaux Heavy / Cursive Normal / Bold / Outline	Normal / Bold /	Normal
haracter effects		Color reversal (white) Normal / Bold / Italic / Underline /		Shadow / Raised Shading /	Shadow / Raised Shading /	Outline Shading /	Shading /	Outline Shading /	Shading /
uilt-in character		Color reversal (white)		Underline / Box 883	Underline / Box 248	Underline / Box 668	Underline / Box 534	Underline / Box 248	Underline / Box 207
pes Alphanumeric		_	_						
characters		See "Fonts"	See "Fonts"	62	62	62	62	62	62
Illustrations pecial characters /	See the corresponding software type →	292	286	245	-	245	111	-	-
Accented characters Countries' characters /	sonware type	See "Fonts"	See "Fonts" It is in smartphone	397	87	182	182	87 99	46
symbols uto cutter with	•			•		_			
alf-cut function rame printing		41	46	65	65	65			
ayouts according		200 or more	83		24			18	_
o use lirror printing	See the corresponding \rightarrow	200 01 11010	•	•	•	•	•	•	•
rinting direction	software type 🍼	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal / Vertical	Horizontal	Horizontal
rinting number etting		99	99	100	9	9	9	9	_
esigned logos	_	_	_	60	60	60	60	-	-
umbering		•	•	•	•	-	-	_	_
arcode printing	See the corresponding software type →		•	•	•	-	•	-	_
lessage switching .anguage)	sonware type	English / Thai / Traditional Chinese	English / Thai	8 languages*1	6 languages*2	8 languages*1	8 languages*1	5 languages*3	English only
rint job memories	Reprint / Memory Print	Unlimited (depending on PC memory size)	200	Approx. 2,000 characters	100 characters / Layout / Numbering / Barcode x 10 each	80 characters x 2	80 characters x 10 / Barcode x 10	80 characters x 2	63 characters x 1
uto power off	Approx. 6 minutes (excluding when connected)	_	—	٠	•	•	•	•	•
laximum characters er input data	_	_	100	255	100	80	80	80	63
ower supply	AC adaptor*4 (included)	_	_	AC adaptor*4 (included) or 8 × AA-size alkaline (LR6) batteries (sold separately)	AC adaptor* ⁴ (sold separately) or 6 × AA-size alkaline (LR6) batteries (sold separately)	6 × AA-size alkaline (LR6) batteries (sold separately)	AC adaptor*4 (sold separately) or 6 × AA-size alkaline (LR6) batteries (sold separately)	6 × AA-size alkaline (LR6) batteries (sold separately)	6 × AA-size alkaline (LR batteries (sold separatel
pproximate attery life ^{*5}	_	_	_	2 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges	4 tape cartridges
imensions : x W x D (mm)* ⁶	61 × 131.7 × 136	-	_	67.5 × 202 × 212	52.5 × 167 × 223	60 × 112 × 202	54.5 × 189 × 115	54.5 × 189 × 115	51.5 × 168 × 114
pproximate eight (g)* ⁷	495	-	_	850	610	340	430	430	300
undled tape artridge (sample)	18mm × 1	_	_	12mm × 1	12mm × 1	12mm × 1	12mm × 1	12mm × 1	9mm × 1
SB	•	-	_	•	-	-	-	-	-
/ireless LAN	•	-	-	_	-	-	-	-	_
A-300 (software) abel Design Maker	-	_	_	•	-	_	-	_	_
		—	_	•	—	—	—	-	—

*1 English / Spanish / German / French / Italian / Swedish / Portuguese / Indnesian *2 English / Spanish / German / French / Italian / Swedish *3 English / Spanish / German / French / Italian *4 KL:P350W: AD-1824L, KL-62: AD-1832L, KL-820 / KL:130: AD-A95100 *5 Continuous printing *6 The height dimention includes the feet *7 Not including batteries

Labemo 🛑

For labels you want to replace from time to time!

Labemo tape lineup*

Width	18mm	12mm	9mm	
BLACK on WHITE	XA-18WE1	XA-12WE1	XA-9WE1	
BLACK on YELLOW	XA-18YW1	XA-12YW1	XA-9YW1	
BLACK on PINK	XA-18PK1	XA-12PK1	XA-9PK1	



Length: 5 meters Laberno dedicated tapes cannot be used with LABEL IT! products. * For use with MEP-T10, MEP-U10 and MEP-K10

- * "QR Code" is a registered trademark of DENSO WAVE INCORPORATED.
- * Company names and product names shown are the registered trademarks and trademarks of their respective companies.
- $\ensuremath{^{\ast}}\xspace$ Displays shown in this catalog are photographic images.
- * Most of the printing examples are reduced to less than actual size. * Product and accessory specifications and designs are subject to change without notice.
- * Printing examples are simulations.